

Type Approval Certificate

This is to certify that the undernoted product(s) has/have been tested with satisfactory results in accordance with the relevant requirements of the Lloyd's Register Type Approval System.

Manufacturer	Sanha GmbH & Co. KG
Address	Im Teelbruch 80, Essen, 45219, Germany
Place of Production	NiroSan Edelstahlrohr GmbH Buckower Chaussee 133, Berlin, 12277, Germany
Place of Production	Sanha GmbH & Co. KG Werk Schmiedefeld, Hauptstr. 76, Großharthau-Schmiedefeld, 01909, Germany
Type	Pipe Press Fitting System
Description	Press fitting system made of stainless steel (1.4404, 1.4571, 1.4408) Series 9000 with EPDM Sealing Ring Series 17000 with HNBR Sealing Ring Series 18000 with FKM Sealing Ring
Trade Name	NiroSan® Press
Application	As piping components in Class 3 piping systems on ships classed or intended for Classification with Lloyd's Register. <u>Restrictions:</u> 1) Starting / Control Air and CO2 Systems 2) inside machinery spaces of category A or accommodation spaces for main lines of inert gas systems

Type Approval Certificate

- 3) Fire class division's penetrations
- 4) Bilge main lines in high fire risk compartments
- 5) Scupper pipes below freeboard deck to overboard

Specified Standard Lloyd's Register Rules and Regulations for the Classification of Ships, July 2022 and IACS Regulation P. 2.11 including additional fire endurance test under dry conditions.

Ratings NiroSan Press Fittings for general applications

pipe outer diameter (mm)	Design Pressure (bar)
15 - 54	16
64 - 108	10

Flammable liquids and dry sprinkler* systems up to 7 bar design pressure.

*Dry sprinkler systems are subject to the acceptance of the National Authority.

Maximum approved working temperature up to 120 °C (depending on medium and sealing material)

Additional Tests Fire Test of sizes DN15, DN35 and DN76 according to ISO 19921, but under dry conditions during flame impingement for 30, 20 and 30 minutes with subsequent hydraulic static proof test at 10,5 bar.

Other Conditions For deck and bulkhead penetrations see also the requirements of the National Authorities.
Selection and installation to be in accordance with the producer's instructions and recommendations.



Type Approval Certificate

This certificate is not valid for equipment, the design, ratings or operating parameters of which have been varied from the specimen tested. The manufacturer should notify Lloyd's Register EMEA of any modification or changes to the equipment in order to obtain a valid Certificate.

Previous Version: C16-20085

The Design Appraisal Document HTS/ENS 43117-21 and its supplementary Type Approval Terms and Conditions form part of this Certificate.

71 Fenchurch Street, London, EC3M 4BS, United Kingdom

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.